

From: Cynthia Caporale/ESC/R3/USEPA/US
Sent: 1/6/2012 9:07:54 AM
To: Kevin Martin/ESC/R3/USEPA/US@EPA
CC:
Subject: Fw: Draft Analytical Service request for Dimock

FYI

Cynthia Caporale, Chief
OASQA Laboratory Branch
U.S. EPA Region III
Environmental Science Center
Fort Meade, MD
(410) 305-2732
Fax: (410) 305-3095

----- Forwarded by Cynthia Caporale/ESC/R3/USEPA/US on 01/06/2012 09:07 AM -----

From: Fred Foreman/ESC/R3/USEPA/US
To: "Nance, Gene" <Gnance@TechLawInc.com>
Cc: "Carter, Joe" <Jcarter@TechLawInc.com>, Richard Rupert/R3/USEPA/US, "Graves, Suddha" <Sgraves@TechLawInc.com>, Stevie Wilding/ESC/R3/USEPA/US, Cynthia Caporale/ESC/R3/USEPA/US@EPA, Stevie Wilding/ESC/R3/USEPA/US
Date: 01/05/2012 05:35 PM
Subject: Re: Draft Analytical Service request for Dimock

Gene,

I will pass this on to the lab to confer in light of the discussion on the call today. Also, how critical is Radon-222? I spoke with the contact at NAREL and have questions.

Fred Foreman, Chief
Technical Services Branch
Office of Analytical Services & Quality Assurance
US EPA Region III
Ft. Meade, Maryland
410-305-2629

From: "Nance, Gene" <Gnance@TechLawInc.com>
To: Fred Foreman/ESC/R3/USEPA/US@EPA, Richard Rupert/R3/USEPA/US
Cc: "Graves, Suddha" <Sgraves@TechLawInc.com>, "Carter, Joe" <Jcarter@TechLawInc.com>, Stevie Wilding/ESC/R3/USEPA/US
Date: 01/05/2012 03:00 PM
Subject: Draft Analytical Service request for Dimock

Fred,
For review. This is the draft analytical services request which includes the parameters to be done by OASQA. I was waiting until we finalized the list of parameters to submit it. I received an e-mail from Stevie that the EPA Region 9 lab would be doing the DRO/GRO/Dissolved gases by RSK-175. I can add those to this draft or submit a separate request for the parameters to be done by Region 9.

Gene Nance
TechLaw, Inc.
740.867.0968 (office)

304.830.1442 (mobile)